

Preschool CBCL 1½-5 and C-TRF Scales

Syndrome Scales: Emotionally Reactive; Anxious/Depressed; Somatic Complaints; Withdrawn; Sleep Problems (CBCL only); Attention Problems; Aggressive Behavior

The profile of DSM (Diagnostic and Statistical Manual)-oriented scales, which comprise CBCL/1½-5/LDS and C-TRF items that experienced psychiatrists and psychologists from ten cultures rated as being very consistent with DSM diagnostic categories.

DSM-Oriented Scales: Affective Problems; Anxiety Problems; Pervasive Developmental Problems; Attention Deficit/Hyperactivity Problems; Oppositional Defiant Problems.

Language Development Survey (LDS)

An especially valuable feature of the CBCL/1½-5 is the LDS, which uses parents' reports to assess children's expressive vocabularies and word combinations, as well as risk factors for language delays. Developed by Dr. Leslie Rescorla, the LDS has been used in numerous studies of language problems. Based on our national normative sample, the LDS indicates whether a child's vocabulary and word combinations are delayed relative to norms for ages 18-35 months. The LDS can be completed for language-delayed older children for comparison with norms up to 35 months.

NOTAT: Ovenstående informasjon er hentet fra ASEBAs hjemmeside: -

<http://www.aseba.org/preschool.html>

School-Age (CBCL/6-18, TRF & YSR) Scales

The Module includes the 2007 *Obsessive-Compulsive Problems*, *Posttraumatic Stress Problems*, *Sluggish Cognitive Tempo* (not on YSR), and *Positive Qualities* (YSR only) scales.

Empirically Based Syndromes Scales scored from the CBCL/6-18, TRF, and YSR are based on factor analyses coordinated across the forms.

- Anxious/Depressed
- Withdrawn/Depressed
- Somatic Complaints
- Social Problems
- Thought Problems
- Attention Problems
- Rule-Breaking Behavior
- Aggressive Behavior

DSM-oriented scales comprise items identified by experts from 16 cultures as very consistent with DSM-IV categories. The six DSM-oriented scales are:

- Affective Problems
- Anxiety Problems
- Somatic Problems
- Attention Deficit/Hyperactivity Problems
- Oppositional Defiant Problems
- Conduct Problems

The DSM-oriented scales are scored from all three forms. *Inattention and Hyperactivity-Impulsivity* subscales are also scored from the TRF Attention Deficit/Hyperactivity Problems scale.

NOTAT: Ovenstående informasjon er hentet fra ASEBAs hjemmeside: -

<http://www.aseba.org/schoolage.html>

Adult (ASR/18-59 & ABCL/18-59) Scales

Adaptive Functioning Scales: Friends; Spouse/Partner; Family; Job; Education

Syndrome Scales: Anxious/Depressed; Withdrawn; Somatic Complaints; Thought Problems; Attention Problems; Aggressive Behavior; Rule-breaking Behavior, and Intrusive

DSM-oriented Scales: Depressive Problems; Anxiety Problems; Somatic Problems; Avoidant Personality Problems; Attention Deficit/ Hyperactivity Problems (Inattention and Hyperactivity/Impulsivity subscales); and Antisocial Personality Problems

Substance Use Scales: Tobacco; Alcohol; Drugs

NOTAT: Ovenstående informasjon er hentet fra ASEBAs hjemmeside: -

<http://www.aseba.org/adults.html>